	Search Text	DBs
1	(5987069, "6167095").pn.	USPAT
2	dsl and (sliding adj window) and noise and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and timing and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	dsl and (sliding adj window)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	dsl and (sliding adj window) and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	dsl and (sliding adj window) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	dsl and ((sliding or slide) adj window) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	ep-0961449-$.did.	USPAT
8	ep-961449-$.did.	USPAT
9	ep-961449-$.did.	EPO
10	961449.URPN.	USPAT
11	961449.pran.	EPO
12	961449.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	0961449.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	ep-961449-$.pran.	EPO
15	ep-961449-$.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	ep-961449-$.fref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	961449.fref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	0961449.fref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	miyoshi.in.	USPAT; US-PGPUB; DERWENT; IBM_TDB

	Search Text	DBs
20	miyoshi-seiji.in.	USPAT; US-PGPUB; DERWENT; IBM_TDB
21	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line))	USPAT; US-PGPUB; DERWENT; IBM_TDB
22	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<=19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
23	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
24	miyoshi-seiji.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
25	miyoshi-seiji.in. and (window) and @ad<=19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
26	(6393051, 5063574, "6266347").pn.	USPAT; US-PGPUB; DERWENT; IBM_TDB
27	(6393051, 5063574, "6266347").pn. and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	(6393051, 5063574, "6266347").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	("5519731" | "5668802" | "5673290" | "5680394" | "5757803" | "5838667" | "5991311" | "6069922" | "6097763").PN.	USPAT
30	ep-966134-$.did.	EPO
31	awata-yutaka.in.	USPAT; US-PGPUB; DERWENT; IBM_TDB
32	murata-hiroyasu.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
33	koizumi-nobulkazu.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
34	sasaki-takashi.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
35	awata-yutaka.in. and (dsl or (digital adj subscriber adj line)) and @ad<19980526	USPAT; US-PGPUB; DERWENT; IBM_TDB
36	(time adj compression adj modulation) and isdn and (dsl or (digital adj subscriber adj line)) and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
37	(time adj compression adj modulation) and isdn and (dsl or (digital adj subscriber adj line)) and window and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	(tcm or (time adj compression adj modulation)) and isdn and window and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and timing and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	(tcm or (time adj compression adj modulation)) and isdn and (sliding adj (window or windows)) and timing and dsl and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	(sliding adj window) and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	("6307889").pn.	USPAT
44	dsl and snr and NEXT and FEXT and bit and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	(375/219 or 375/220 or 375/254 or 375/257 or 375/295 or 375/296 or 375/316 or 375/346 or 375/259 or 375/285).ccls. and dsl and (sliding adj window) and noise and (crosstalk or cross-talk or xtalk or x-talk or (x adj talk) or (cross adj talk)) and timing and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	(tcm or (time adj compression adj modulation)) and isdn and window and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	(dmt with next with fext) and @ad<=19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	(dmt same next same fext same noise same signal) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
49	(dmt same next same fext same noise) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	(dmt same next same fext) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	(dmt same (cross?talk or crosstalk)) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	(dmt same ((cross?talk or crosstalk) with ("near" or far))) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	("5479447" | "5519731" | "5521949" | "5668802" | "5673290" | "5680394" | "5887032" | "5970088" | "6009122" | "6014412" | "6044107").PN.	USPAT
54	((noise adj ratio) with (inside and outside)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	((noise adj ratio) with (slot)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	((signal near2 noise near2 ratio) with (slot)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	(signal near2 noise near2 ratio) and ((noise and signal) with (slot or period)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	(signal near2 noise near2 ratio) and ((noise and signal) adj (slot or period)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	5991311.URPN.	USPAT
60	("5410343" | "5831979" | "5848141").PN.	USPAT
61	6574282.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	6574282.URPN.	USPAT
63	("5479447" | "5774500" | "6005893" | "6035000").PN.	USPAT

	Search Text	DBs
64	(US-5982901-$ or US-5119403-$ or US-6393051-$ or US-6266347-$ or US-5668802-$ or US-6069922-$ or US-5680394-$ or US-5991311-$ or US-5367540-$ or US-5375147-$ or US-6307889-$ or US-5887032-$ or US-6144695-$ or US-6449316-$).did. or (EP-961449-$ or EP-966134-$).did.	USPAT; EPO
65	((US-5982901-$ or US-5119403-$ or US-6393051-$ or US-6266347-$ or US-5668802-$ or US-6069922-$ or US-5680394-$ or US-5991311-$ or US-5367540-$ or US-5375147-$ or US-6307889-$ or US-5887032-$ or US-6144695-$ or US-6449316-$).did. or (EP-961449-$ or EP-966134-$).did.) and ("s/n" or (signal$5 near2 noise$5) or ratio$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	((US-5982901-$ or US-5119403-$ or US-6393051-$ or US-6266347-$ or US-5668802-$ or US-6069922-$ or US-5680394-$ or US-5991311-$ or US-5367540-$ or US-5375147-$ or US-6307889-$ or US-5887032-$ or US-6144695-$ or US-6449316-$).did. or (EP-961449-$ or EP-966134-$).did.) and ("s/n" or (signal$5 near2 noise$5) or ratio$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	measur$5 with ("s/n" or (signal$5 near2 noise$5) or snr) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	(measur$5 with ("s/n" or (signal$5 near2 noise$5) or snr)) and next and fext and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	((measur$5 or determin$5) near2 ("s/n" or (signal$5 near2 noise$5) or snr)) and next and fext and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	(bit$2 with transmit$5 with (snr or "s/n")) and next and fext and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	(bit$2 with transmit$5 with (snr or "s/n")) and next and fext and xdsl and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	(bit$2 with transmit$5 with (snr or "s/n")) and xdsl and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
73	((bit$2 with transmit$5 with (snr or "s/n")) and xdsl and (@ad<19980526)) not ((bit$2 with transmit$5 with (snr or "s/n")) and next and fext and xdsl and (@ad<19980526))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	6009122.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	((("6009122") or ("6144695") or ("6229855") or ("5982784") or ("5400322") or ("6134283") or ("5627863") or ("5887032") or ("5982901") or ("5991311") or ("6574282")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	fext and (inver$5 with sync$5 with symbol$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	((inver$5 with sync$5 with symbol$5) and (@ad<19980526)) and ?dsl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	((inver$5 with sync$5 with symbol$5) and (@ad<19980526)) and *frame*	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	(inver$5 with sync$5 with symbol$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	hyperfram$5 and (inver$5 with (symbol$5 or bit$5 or fram$5)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	(hyperfram$5 and (inver$5 with (symbol$5 or bit$5 or fram$5)) and (@ad<19980526)) not ((inver$5 with sync$5 with symbol$5) and (@ad<19980526))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	($frame$2 or symbol$5) with (edge$5 or boundar$5) with inver$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	(($frame$2 or symbol$5) with (edge$5 or boundar$5) with inver$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	((($frame$2 or symbol$5) with (edge$5 or boundar$5) with inver$5) and (@ad<19980526)) and fext	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
85	((($frame$2 or symbol$5) with (edge$5 or boundar$5) with inver$5) and (@ad<19980526)) and ((?dsl or next) or crosstalk or xtalk or cross?talk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	("5014272" | "5136587" | "5270714" | "5461622" | "5517533" | "5710774" | "5857092" | "5887039" | "6151312").PN.	USPAT
87	((training adj sequence$2) with fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	((train$5 adj sequenc$5) with fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	((train$5 with switch$5) with fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	((sequenc$5 with switch$5) with fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	(train$5 with sequenc$5 with switch$5) and ?dsl and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	(inver$5 with boundar$5 with fram$5) and (?dsl or fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	(inver$5 with boundar$5) and (?dsl or fext) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	(inver$5 with boundar$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	(inver$5 with boundar$5 with frame) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	(inver$5 with boundar$5 with fram$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	(train$5 with sequenc$5 with switch$5) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	(train$5 with sequenc$5 with switch$5 with transmi$7 with rece$10) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	("of the train$5" with sequenc$5 with switch$5 with transmi$7 with rece$10) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
100	(train$5 with (sequenc$5 or set$5) with switch$5 with transmi$7 with rece$10) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	((switching or changing) near5 training adj (sequences or sets)) and (@ad<19980526)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	JP-60157350-$.did.	JPO
103	JP-02109436-$.did.	JPO
104	JP-10503893-$.did.	JPO
105	JP-09008770-$.did.	JPO
106	wo-9534149-$.did.	EPO
107	jp-11313043-$.did.	JPO
108	jp-10303872-$.did.	JPO
109	jp-11168515-$.did.	JPO
110	jp-10502511-$.did.	JPO
111	jp-11289309-$.did.	JPO
112	jp-11355183-$.did.	JPO
113	jp-08172671-$.did.	JPO
114	jp-08088626-$.did.	JPO
115	5400322.pn.	USPAT
116	6574282.pn.	USPAT
117	5627863.pn.	USPAT
118	6134283.pn.	USPAT
119	JP-60157350-$.did. or JP-02109436-$.did. or JP-09008770-$.did. or wo-9534149-$.did. or jp-10303872-$.did. or jp-11168515-$.did. or jp-11289309-$.did. or jp-08172671-$.did. or jp-08088626-$.did. or 5400322.pn. or 6574282.pn. or 5627863.pn. or 6134283.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	6009122.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	5991311.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
122	6510184.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
123	jp-2000514991-$.did.	EPO; JPO
124	jp-61218240-$.did.	EPO; JPO

	Search Text	DBs
125	jp-2000032096-$.did.	EPO; JPO
126	jp-11341153-$.did.	EPO; JPO
127	wo-9953679-$.did.	EPO; JPO
128	jp-2002519886-$.did.	EPO; JPO
129	wo-9967890-$.did.	EPO; JPO
130	jp-11331106-$.did.	EPO; JPO
131	jp-11163307-$.did.	EPO; JPO
132	jp-1056486-$.did.	EPO; JPO
133	jp-2002500855-$.did.	EPO; JPO
134	wo-9950967-$.did.	EPO; JPO
135	jp-1126165-$.did.	EPO; JPO
136	wo-9935756-$.did.	EPO; JPO
137	jp-2000078105-$.did.	EPO; JPO
138	6009122.pn. or 5991311.pn. or 6510184.pn. or jp-61218240-$.did. or jp-2000032096-$.did. or wo-9953679-$.did. or wo-9967890-$.did. or jp-11163307-$.did. or wo-9950967-$.did. or wo-9935756-$.did. or jp-2000078105-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
139	(375/219 or 375/220 or 375/254 or 375/257 or 375/295 or 375/296 or 375/316 or 375/346 or 375/259 or 375/285).ccls. and (dmt with next with fext) and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
140	(375/219 or 375/220 or 375/254 or 375/257 or 375/295 or 375/296 or 375/316 or 375/346 or 375/259 or 375/285).ccls. and (dmt with next with fext) and "2760" and @ad<19980526	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB